

Source: supplied manufacturer brochure, printed page 09, original PDF page 7. Source publishing date / revision not supplied. This summary is an attributed transcription, not an independent test report.

Cutting width	800 mm
Engine / listed power	LONCIN / Rato gasoline, 16 HP
Travel speed	0-5 km/h
Cutting height	10-180 mm
Machine dimensions	1070 x 1170 x 600 mm
Packing dimensions	1150 x 1240 x 750 mm
Machine / packed weight	240 / 285 kg

Configuration note

Earlier parameter material lists a different travel speed. The values on this sheet follow the brochure configuration.

Before ordering

Confirm the exact model, engine, cutting setup, current manual, packing and export configuration in writing. The original brochure includes slope and productivity claims without their test conditions. Those claims are not operating instructions or performance guarantees and are not repeated as verified limits in this summary.

Public source excerpt: Manufacturer specification pages

Catalog and correction requests: slopemotive.com/machines#catalog-sources

Source: supplied manufacturer brochure, printed page 08, original PDF page 6. Source publishing date / revision not supplied. This summary is an attributed transcription, not an independent test report.

Cutting width	800 mm
Engine / listed power	Koop diesel, 18 HP
Travel speed	0-5 km/h
Cutting height	30-200 mm
Machine dimensions	1630 x 950 x 700 mm
Packing dimensions	1740 x 920 x 1070 mm
Listed weight	372 kg; brochure does not distinguish machine and packed weight

Configuration note

Do not use the listed weight as a confirmed gross shipping weight. Packing details require order-specific confirmation.

Before ordering

Confirm the exact model, engine, cutting setup, current manual, packing and export configuration in writing. The original brochure includes slope and productivity claims without their test conditions. Those claims are not operating instructions or performance guarantees and are not repeated as verified limits in this summary.

Public source excerpt: Manufacturer specification pages

Catalog and correction requests: slopemotive.com/machines#catalog-sources

Source: supplied manufacturer brochure, printed page 05, original PDF page 5. Source publishing date / revision not supplied. This summary is an attributed transcription, not an independent test report.

Cutting width	900 mm
Engine / listed power	LONCIN gasoline, 22 HP
Travel speed	0-6 km/h
Cutting height	10-200 mm
Machine dimensions	1400 x 1300 x 630 mm
Packing dimensions	1510 x 1370 x 800 mm
Machine / packed weight	330 / 390 kg

Configuration note

This sheet refers to 608-90A. It does not specify the different 608-80A or 608-80L configurations.

Before ordering

Confirm the exact model, engine, cutting setup, current manual, packing and export configuration in writing. The original brochure includes slope and productivity claims without their test conditions. Those claims are not operating instructions or performance guarantees and are not repeated as verified limits in this summary.

Public source excerpt: Manufacturer specification pages

Catalog and correction requests: slopemotive.com/machines#catalog-sources

Source: supplied manufacturer brochure, printed page 04, original PDF page 4. Source publishing date / revision not supplied. This summary is an attributed transcription, not an independent test report.

Cutting width	900 mm
Engine / listed power	LONCIN gasoline, 27 HP
Travel speed	0-6 km/h
Cutting height	10-200 mm
Machine dimensions	1400 x 1300 x 630 mm
Packing dimensions	1510 x 1370 x 800 mm
Machine / packed weight	308 / 380 kg

Configuration note

This sheet covers the 900 mm 764-90A configuration. Other cutting widths require their own model-specific documentation.

Before ordering

Confirm the exact model, engine, cutting setup, current manual, packing and export configuration in writing. The original brochure includes slope and productivity claims without their test conditions. Those claims are not operating instructions or performance guarantees and are not repeated as verified limits in this summary.

Public source excerpt: Manufacturer specification pages

Catalog and correction requests: slopemotive.com/machines#catalog-sources

Source: supplied manufacturer brochure, printed page 03, original PDF page 4. Source publishing date / revision not supplied. This summary is an attributed transcription, not an independent test report.

Cutting width	1300 mm
Engine / listed power	Briggs & Stratton gasoline, 27 HP
Travel speed	0-6 km/h
Cutting height	10-200 mm
Machine dimensions	1430 x 1710 x 680 mm
Packing dimensions	1510 x 1810 x 800 mm
Machine / packed weight	470 / 540 kg

Configuration note

These figures apply to the brochure 1300 mm configuration, not to a 900 or 1100 mm model.

Before ordering

Confirm the exact model, engine, cutting setup, current manual, packing and export configuration in writing. The original brochure includes slope and productivity claims without their test conditions. Those claims are not operating instructions or performance guarantees and are not repeated as verified limits in this summary.

Public source excerpt: Manufacturer specification pages

Catalog and correction requests: slopemotive.com/machines#catalog-sources

Four-wheel-drive 196

Brochure-listed specification summary | Prepared October 14, 2026

Source: supplied manufacturer brochure, printed page 14, original PDF page 9. Source publishing date / revision not supplied. This summary is an attributed transcription, not an independent test report.

Cutting width	550 mm
Engine / listed power	LONCIN gasoline, 7.5 HP
Travel speed	0-5 km/h
Cutting height	30-80 mm
Machine dimensions	1000 x 830 x 430 mm
Packing dimensions	1010 x 890 x 570 mm
Machine / packed weight	100 / 130 kg

Configuration note

This is a separate four-wheel-drive mower. Its specifications do not describe the tracked 196-55L model.

Before ordering

Confirm the exact model, engine, cutting setup, current manual, packing and export configuration in writing. The original brochure includes slope and productivity claims without their test conditions. Those claims are not operating instructions or performance guarantees and are not repeated as verified limits in this summary.

Public source excerpt: Manufacturer specification pages

Catalog and correction requests: slopemotive.com/machines#catalog-sources

Purchase information

Commercial conditions confirmed per order | October 14, 2026

How to request a quotation

Send the model, quantity, destination country or port, intended use and site conditions to dizhengshuo@gmail.com or WhatsApp +86 178 5203 0756. The website has an inquiry form and does not offer an online checkout.

What is confirmed per order

Minimum order quantity, production and dispatch lead time, warranty period and coverage, spare-parts support, trade term and named place are confirmed for the specific order. No fixed public value is published for these conditions.

What to check in the written quotation

Ask for model and configuration, included equipment, price and currency, quotation validity, payment schedule, packing dimensions and gross weight, trade term and named place, freight basis, lead time, required documents and warranty / parts responsibilities.

Destination and support

Identify destination-specific requirements and service responsibilities before accepting the offer. Certifications must identify the applicable model and document; brochure icons do not establish certification.

Source and contact

Maintained by SlopeMotive. This page reflects the owner-confirmed policy that commercial conditions are confirmed per order. See <https://slopemotive.com/export-support#purchase-terms> and <https://slopemotive.com/privacy>.